Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



ESTABLISHED 1866.

100 ACRES IN NURSERY STOCK.

FALL OF 1906.

WHOLESALE PRICE

Willowdale Nurseries

KENNETT SQUARE, CHESTER COUNTY, PA,

Rakestraw & Pyle, Proprietors.

The Commonwealth of Pennsylvania, Department of Agriculture.

CERTIFICATE OF INSPECTION OF NURSERY STOCK:

This is to certify that the stock in the Nursery of Rakestraw & Pyle, of Kennett Square, County of Chester, State of Pennsylvania, was duly examined in compliance with the provisions of the act of Legislature of Pennsylvania, approved the 10th day of June, A. D., 1901, and it was found to be apparently free from San Jose Scale, and other dangerously injurious insect pest or pests.

This certificate expires July 31st, 1907.

Dated Harrisburg, Pa., August 28th, 1906. Inspected August 19th, 1906, T. C. Lefevre, Inspector.

A. B. CRITCHFIELD, Secretary of Agriculture.

NOTICE TO PURCHASERS.

This list is intended for Nurserymen, Florists and Dealers only, and supersedes

all previous quotations.

We use the greatest care to have our stock reliable and true to name, and will on proper proof, replace anything that may not prove true to name. We do not give any warranty. It is mutually agreed between the purchaser and ourselves, that we shall not at any time be held responsible from any cause for more than the original cost of the trees.

TERMS.

Invariably cash, except expressly agreed otherwise. Packing will be done in the best manner, in bales or boxes, at the cost of the purchaser, but no charge for delivering the goods at the railroad. All orders to be sent C. O. D. must be accompanied with one-half the amount in cash.

All articles, after leaving our hands in good condition, are entirely at the risk of the purchaser, and no complaint will be allowed, unless made within ten days after

receipt of goods.

LOCATION.

Our office is situated 2 miles north of KennettStation, on the P. & B. C. R. R., and is forty miles west of Philadelphia. We also have connection with the Philadelphia. delphia and Reading, and the Baltimore and Ohio Railroads.

RAKESTRAW & PYLE,

United Telephone 13 a. D. & A. 52X.

Kennett Square, Chester Co., Pa.

Cars on the Trolley Road from Kennett Square to West Chester, Pa., pass the office every hour.

FRUIT DEPARTMENT.

| | D | D | | _ | • |
|---|---|---|---|---|----|
| _ | • | _ | _ | • | Э. |

| | Per 10. | Per 100, | Per 1000. |
|--|----------|---------------|-----------------|
| Extra size, 6 to 8 ft | \$1 25 | \$10 00 | \$ 90 00 |
| STANDARD, first-class, 5½ to 7 ft. selected, 3-inch and up, | 1 00 | 8 00 | 70 00 |
| second-class, 5 to 6 ft., \(\frac{5}{8}\)-inch and up, | . 80 | 6 00 | 50 00 |
| third-class, 4 to 5 ft., $\frac{1}{2}$ to $\frac{5}{8}$ -inch, . | 60 | 5 00 | 40 00 |
| STAYMAN, first-class, | $1 \ 25$ | 10 C O | |

Standard Varieties of Apples.

Summer.

| Early Ripe, Early Harvest, |
|--|
| Autumn Strawberry, Cornell's Fancy, Duchesse of Oldenburg, |

Golden Sweet,

Jonathan,

"

"

..

Krauser.

Arkansas Black, American Golden Russett, Brandywine, Bailey's Sweet, Belmont, Baldwin, Buckley, Ben Davis, Cooper's Market, Delaware Winter, Domine, Esopus Spitzenburg, Fallawater, Gano, Grimes' Golden, Hubbardston's Nonsuch,

Early Strawberry, Red Astrachan, Sweet Bough, Fall.

Gravenstein, Tefferis, Jersey Sweeting, Fall Pippin,

Winter. King of Tompkin's County, Lankford's Seedling,

Long Island Russett, Lawver, Major, Munson's Sweet, Mann, Nero, Nottingham Brown, Northern Spy, Paragon, Paradise. Pewaukee, Pennock, Rawles Jenneting, Red Romanite, Rambo,

Summer Queen, Townsend, Yellow Transparent.

Summer Rambo, Smokehouse, Maiden's Blush. Orange Pippin,

Rhode Island Greening, Rome Beauty, Roxbury Russett, Smiths Cider, Sutton Beauty, Stark, Talman's Sweet, Tetofsky, William's Favorite, Walbridge, Winesap, Winter Strawberry, Wealthy Wagener, York Imperial, York Stripe, Yellow Bellflower,

1 75

15 00

10 00

Per 10, Per 100, Per 1000.

CRAB APPLE.

First-class, \$1 00 \$ 8 00 \$ 70 00 Second-class, \square,-inch and up, 80 6 00

Varieties.

| Gen. Grant, Hesper Rose, Hewes' Virginia, | Hyslo Marth | ia, | ARS. | | | Transcend Whitney's Red Siberi Yellow Sib | No. 20, an, perian. | Dow 1000 | | | |
|---|----------------------|-------|------|---|---|--|---------------------------|-----------|--|--|--|
| STANDARD, selected, 7 | to 1 inch | • | | | | \$2 00 | Per 100 \$18 00 | Per 1000, | | | |
| | \$ to \$ inch, | • | • | • | • | $\frac{\phi_2}{1} \frac{00}{75}$ | | φ | | | |
| | | • | • | | • | | 15 00 | | | | |
| Keiffer, extra, 1 to | linab | • | • | | • | 2 50 | 20 00 | | | | |
| g ₩. | l inch, | • | • | • | • | 1 25 | 1 5 00 | 440.00 | | | |
| 4 10 7 | inch, . | • | • | | • | 1 50 | 12 00 | 110 00 | | | |
| 8 10 2 | inch, | • | • | • | • | 1 00 | 8 00 | 70 00 | | | |
| 2 10 | inch, | • | • | | • | 75 | 7 00 | 60 00 | | | |
| 1 yea | r, 4 to 6 ft. | • | • | • | | 75 | 7 00 | 60 00 | | | |
| 1 yea | r, 3 to 4 ft. | • | | | • | 70 | 6 00 | 50 00 | | | |
| BARTLETT, first-class, | | • | | • | | $2\ 50$ | 22 CO | | | | |
| second-clas | s, § to ¾ inch, | | | | | 2 00 | 18 0 0 | | | | |
| SECKEL, " | | | | | | 2 25 | $20 \ 00$ | | | | |
| DWARF, " | • | | | | | 1 25 | 10 00 | | | | |
| " BARTLETT, | | | • | | | 1 50 | 12 00 | | | | |
| CHERRIES. Per 10. Per 100. | | | | | | | | | | | |
| SWEET VARIETIES, first | -class, 3 inch | and t | ıp. | | | \$2 75 | \$25 00 | | | | |
| | nd-class, § to | | | | | 2 00 | 18 00 | | | | |
| | d-class, ½ to § | | | | | 1 50 | 12 00 | | | | |
| | -class, 3 inch | | | • | | 2 25 | 20 00 | | | | |
| COCK MISC | Thom . | 0 1 | , · | | • | 2 20 | ~00 | | | | |

second-class, § to § inch, third-class, § to § inch,

| PEACHE | s. | | | |
|--|------------|--|---|-----------------|
| Extra, 11-16 and up, | | | Per 100. | Per 1000. |
| First-class, 4 to 6 feet, 9-16 to 11-16, | | \$ 80 | \$7 00 | \$ 60 00 |
| Light first-class, $\frac{1}{2}$ to 9-16 inch, | | 70 | 6 00 | 50 00 |
| Second-class, $\frac{3}{8}$ to $\frac{1}{2}$ inch, | | . 60 | 5 00 | 40 00 |
| Third class, \(\frac{1}{4}\) to \(\frac{3}{8}\) inches, 2 to 3 feet, | • | 50 35 | 4 00 | 30 00 |
| Time class, 4 to 8 menes, 2 to 5 feet, | | 99 | 3 00 | 25 00 |
| Leading Vari | eties. | | | |
| Albright, (Good) Foster, Amsden's June, Ford's Late, | | Old Mixon | Freeston | ne, |
| Alexander's Early, Fox's Seedling, | | Reeves' Fa | K. | |
| Belle of Georgia, Globe, Carman, Greensboro, | | Steven's I | Rareripe, | |
| Crosby, Hill's Chili, | | Susquehai Salway, | | |
| Champion, Heath's Cling, Klondike, | | Smock Fre | ee, | |
| Crawford's Late, Large Early York, | | Stump the Troth's Ea | e worla, erlv | |
| Crawford's Early, Mountain Rose, | | Waddell, | | |
| Chinese Cling, Morris White, Elberta, Old Mixon Cling, | | Wheatland Yellow St. | a. John | |
| Early Rivers, | | | , | |
| QUINCES | . | Per 10. | Per 100. | |
| Orange and Champion, first-class, | | \$2 50 | \$ | |
| Bourgeat Orange and Champion, 1 year, 3 to | 5 ft. | 2 00 | 18 00 | |
| PLUMS | | | | |
| | • | Per 10. | Per 100. | Per 1000, |
| On Plum, first-class, | | \$1 50 | \$12 00 | \$ |
| " JAPAN VARIETIES, extra size, | | 2 00 | 18 00 | |
| nrst-class, . | | 1 50 | 12 00 | $100 \ 00$ |
| * to 4, | | 90 | 8 00 | 70 00 |
| " " $\frac{1}{2}$ to $\frac{5}{8}$, | | 80 | 7 00 | 60 0 0 |
| APRICOT | S. | | | |
| First-class, | | Per 10, \$1 50 | Per 100. | |
| MULBERRI | ES. | | | |
| r | | Per 10, | Per 100. | |
| New American and Downing, 6 to 7 feet, . | | \$2 50 | \$ | |
| Persimmon, American, 3 to 4 feet, | | 1 50 | 12 00 | |
| 4 10 0 11 | • | 1.75 | 15 00 | |
| 0 10 8 11. | | 2 00 | 18 00 | |
| " 8 to 10 ft | • | $\begin{array}{ccc} 3 & 00 \\ 3 & 50 \end{array}$ | 25 00 30 00 | |
| " " 12 to 14 ft | • | 4 50 | 40 00 | |
| CURRANT | • | 1 00 | 10 00 | |
| CORNANI | J. | Per 10. | Per 100. | |
| CHERRY, VERSAILLES, RED DUTCH, VICTORIA, 2 | vears, . | \$ 50 | \$ 4 00 | |
| FAY'S PROLIFIC, 2 years, | • | 60 | 5 00 | |
| GOOSEBERA | IES. | | | |
| D | 1.0 | Per 10. | | |
| Downing, Smith's Improved and Houghton, 2: Industry, | and 3 yrs, | \$ 80 1 00 | \$ 7 00 | |
| Priumph, | | $\begin{array}{cccc} . & 1 & 00 \\ & 1 & 20 \end{array}$ | 8 00 | |
| RASPBERRI | ES. | | | |
| | | , | Per 100. | |
| CUTHBERT, KANSAS, SOUHEGAN, MILLER, CUMBE | RLAND an | a | Ø 1 0F | |
| Gregg, Columbian, Loudon, Cardinal and Golden Qu | · | | \$ 1 25 | |
| W/INTERPRET | EEN, | • | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$ | |
| WINEBERRIES, JAPANESE, | • | • | ≈ UU | |
| | | | | |

000,

) 00) 00) 00) 00) 00

| | | | DIAOVDERE |).FA | | | |
|----------------------|-------------|-------------------------|---|-------------|------------------------------|-------------------|-----------|
| EARLY H | ARVEST, K | ITTATINNY, | BLACKBERF LAWTON, WILSO WILSON IN I | ON'S EARLY, | Per 10. | Per 100. | |
| | ERRY, | S I ROLIFIC, | Wilson Jr., L | UCRETIA | Φ 20 | Ø 1 50 | |
| Tomas | ERRI, | | • | | \$ 20 | \$ 1 50 | |
| RATHBUN, | 4.* | • | | | 30 | 2 00 | |
| MATHBUN, | | GDAD | ES-Two Ye | . Vinas | 40 | 3 00 | |
| | | Catawba, M | oore's Early, | SALEM, | | Per 100. | |
| | DEN, NIAGA | | . M | | 60 | \$ | |
| | fon, DELAV | VARE, LATON | , Moore's Diag | MOND, . | 80 | 4 00 | |
| CONCORD | Erenram O | | | | 50 | 4 00 | |
| | EMPIRE S | TATE, . | | | 80 | | |
| CAMPBELL Green Mo | | d MaPren | | | $\frac{1}{2} \frac{00}{00}$ | | |
| OREEN III | JUNIAIN all | d McPike, | NUT TREE | | | Per 100, | |
| CHESTNUT | American | , 3 to 4 ft | | | Per 10. \$1 25 | \$10 00 | |
| " | " | 4 to 6 ft. | | • | 1 75 | 15 00 | |
| " | " | 6 to 8 ft. | | | 2 00 | 18 00 | |
| " | 44 | 8 to 10 ft. | | | 3 50 | 10 00 | |
| " | 4 | 10 to 12 ft. | • | | 4 00 | | |
| " | 4.4 | 2 to 3 in. | | • | 5 00 | | |
| " | " | 3 to 4 in | | | 6 00 | | |
| " | Paragon | 4 to 6 ft | | • | 6 50 | | |
| 66 | | 3 to 4 ft. | | | 2 00 | 15 00 | |
| " | ~ puiii, | 4 to 5 ft. | | | $\frac{2}{2} \frac{50}{50}$ | 20 00 | |
| 66 | 4.4 | 5 to 6 ft. | | | 3 00 | 20 00 | |
| 66 | 4.6 | 6 to 8 ft. | | | 3 50 | | |
| " | 6.6 | 3 to 4 inch | | | 6 00 | | |
| WALNUT, | English, | $2\frac{1}{2}$ to 3 ft. | , | | 2 25 | 20 00 | |
| " | 2,4 | 3 to 4 ft. | | | 3 00 | 25 00 | |
| 66 | 4.4 | 4 to 6 ft. | | | 3 50 | 30 00 | |
| " | Japan, | 2 to 3 ft. | | | 1 50 | 12 00 | |
| 66 | "" | 3 to 4 ft | | | 2 25 | 20 00 | |
| " | " | 4 to 5 ft, | | | $\frac{1}{2}$ $\frac{1}{50}$ | 22 00 | |
| 6.6 | 6.6 | 5 to 7 ft. | | | 3 50 | 30 00 | |
| 6.6 | Black, | 3 to 4 ft. | | | 1 20 | 10 00 | |
| | " | 4 to 5 ft | | | 1 50 | 12 00 | |
| " | 6.6 | 5 to 7 ft, | | | 2 00 | 15 00 | |
| FILBERT, | English, | 3 to 4 ft. | | | 1 25 | 10 00 | |
| 4.6 | " | 4 to 6 ft. | | | 1 50 | 12 00 | |
| Pecan, | | 2 to $2\frac{1}{2}$ ft | | | 3 00 | | |
| BUTTERNUT | Γ, | 4 to 6 ft. | | | 1 50 | 14 00 | |
| | | 6 to 8 ft. | | | 2 00 | 18 00 | |
| " | | 8 to 10 ft. | | | 2.50 | $22 \ 00$ | |
| " | | 10 to 12 ft. | | | 4 00 | | |
| " | | 3 to 4 inch, | | | 7 50 | | |
| SHELLBARI | Σ, | 2 to 3 ft. | | | 2 50 | | |
| " | | 3 to 4 ft. | | • | 3 00 | | |
| | | | STRAWBERF | RIES. | Per 10. | Per 100. | Per 1000. |
| Brandywi | NE, GANDY | and Tenne | SSEE, HAVERLA | ND, SHARP- | | | |
| LESS, | Вивасн, W | и. Вегт, | | | | \$ 50 | \$ 4 00 |
| | | | ASPARAGU | JS. | Per 10 | Per 100. | Per 1000. |
| BARR'S MA | ммотн an | d Conovers, | 2 year, . | | \$ | \$ 40 | \$ 3 00 |
| PALMETTO, | | | | | | 50 | 4 00 |
| , | | | RHUBARE | 3. | Per 10. | Per 100. | Per 1000. |
| LINNAEUS. | | | | | | \$ 4 00 | \$ 30 00 |
| | • | | BUDS. | | | | Per 1000. |
| Appra los | ding varie | ties | 5003. | | Per 10. | Per 100. \$ 25 | \$ 1 50 |
| | | ading varie | tion | | Ψ | φ 25 25 | 2 00 |
| | | | ues, . | • | | 25 25 | 1 50 |
| I EACH, 162 | iding varie | uics, . | 6616113 | | _ | | |
| | | | SCIONS. | | Per 10 | Per 100. | Per 1000 |
| APPLE, lea | | | | | \$ | \$ 25 | \$ 1.50 |
| CHERRY, F | Tum and P | EAR, | | | | 1 00 | 4 00 |
| | | | | | | | |

ORNAMENTAL DEPARTMENT.

| | DECIDIOUS TREES. | Per 10. | Per 100. | Per 1000 |
|---|---|---|------------|----------|
| Ash, American White, | 10 to 12 ft | \$2 50 | . \$ | \$ |
| " " " | 2 to 3 inch, | 5 00 | | |
| Birch, White, | 6 to 8 ft. | 1 75 | 15 00 | |
| 66 - 66 | 8 to 10 ft | 2 50 | 20 00 | |
| 46 66 | $2\frac{1}{2}$ to 3 inch, | 5 00 7 50 | | |
| " | 3 to 4 inch, | 10 00 | | |
| ВEЕСН, Purple, | 3 to 4 feet, | 3 00 | | |
| ne ii | 4 to 5 feet, | 4 00 | | |
| " English, | 3 to 4 feet, | 2 00 | | |
| " | 4 to 5 feet, | 2 50 | | |
| 66 66 | 5 to 6 feet, | 3 00 | | |
| | 6 to 8 feet, | 3 50 | 00.00 | |
| Buttonwood, (Oriental) | 8 to 10 feet, $1\frac{1}{4}$ to $1\frac{1}{2}$ inch, | 3 25 | 30 00 | |
| 44 44 | 10 to 12 feet, $1\frac{1}{2}$ to 2 inch, | 6 00 | 50 00 | |
| " | $2 \text{ to } 2\frac{1}{2} \text{ inch}, \dots$ | 8 00 10 00 | | |
| Catalpa, Speciosa, | $2\frac{1}{2}$ to 3 inch, 6 to 8 feet, | 1 50 | 12 00 | |
| CATALIA, Speciosa, | 8 to 10 feet, | 1 80 | 15 00 | |
| * (((((((((((((((((((| 10 to 12 ft | 2 00 | 10 00 | |
| " | $2\frac{1}{2}$ to 3 inch, | 5 00 | | |
| " | 3 to 4 inch, | 6 50 | | |
| Elm, American, | 8 to 10 feet, $1\frac{1}{4}$ to $1\frac{1}{2}$ inch, . | 3 00 | 25 00 | |
| " " | 10 to 12 feet, $1\frac{1}{2}$ to $1\frac{3}{4}$ inch, | 3 50 | 30 00 | |
| " | 12 to 14 feet. $1\frac{3}{4}$ to 2 inch, . | 5 00 | 40 00 | |
| | $2 \text{ to } 2\frac{1}{2} \text{ inch,}$ | 7 00 | 60 00 | |
| Dogwood, White, | 3 to 4 feet, | 2 00 2 50 | | |
| " | 4 to 5 feet, | 3 00 | | |
| " | 6 to 8 ft | 3 50 | | |
| Horse Chestnut, | 4 to 5 feet, | 2 00 | 18 00 | |
| | 5 to 6 feet, | 2 25 | | |
| " | 6 to 8 feet, | 3 00 | | |
| Judas American, | 4 to 6 feet, | 2 50 | | |
| " | 6 to 8 feet, | 3 00 | $25 \ 00$ | |
| Koelreuteria, | 4 to 6 feet, | 3 00 | | |
| | 6 to 8 feet, | 3 50 | | |
| KENTUCKY COFFEE TREE, | 4 to 5 ft | 2 00 2 50 | | |
| | 6 to 8 ft | 3 00 | | |
| Linden, English, | 8 to 10 feet, | 3 00 | 25 00 | |
| " " | 10 to 12 feet, | 3 50 | 32 00 | |
| " American, | 6 to 8 feet, | 2 25 | 20 00 | |
| " | 8 to 10 feet, | 3 50 | 30 00 | |
| " | 10 to 12 feet, | 4 50 | 40 00 | |
| _ | $2 \text{ to } 2\frac{1}{2} \text{ inch}, \qquad . \qquad .$ | 6 00 | 00 | |
| Laburnum, | 4 to 6 feet, | $\begin{array}{ccc} 2 & 60 \\ 2 & 50 \end{array}$ | 15 00 | |
| 6.6 | 6 to 8 feet, | | 20 00 | |
| Maple, Norway | 8 to 10 feet, 8 to 10 feet, $1\frac{1}{4}$ to $1\frac{1}{2}$ inch | 3 00 4 50 | 40 00 | |
| "" "" "" "" | 10 to 12 feet, $1\frac{1}{2}$ to 2 inch, | 6 00 | 50 00 | |
| " | 2 to $2\frac{1}{2}$ inch caliper, | ~ 00 | 60 00 | |
| 66 66 | $2\frac{1}{2}$ to 3 " | 10 00 | 90 00 | |
| " | 3 to 4 " " | 15 00 | 125 00 | |
| · · · · · · · · · · · · · · · · · · · | 4 to 5 "" | 17 50 | | |
| " | 5 to 6 " " . | 20 00 | | |
| | 6 to 8 " " | 50 00 | 40.0- | |
| Ash-leaved, | 6 to 8 ft | 2 00 | 18 00 | |
| - " | 7 to 10 ft | 2 50 | $20 \ 00$ | |

Per 10. Per 100. Per 1000.

| | 21 101 | | | | *0.00 | 407 00 | |
|--|--|----------|-------|---|---|----------------|----|
| Maple, Sugar, | 8 to 10 feet, | • | • | • | \$3 00 | \$25 00 | \$ |
| " | 10 to 12 feet, $1\frac{3}{4}$ to 2 inch, | • | . • | | 3 50 5 00 | 30 00 | |
| 66 | 2 to 2½ inch, | | • | | 6 00 | | |
| " Sycamore, | 10 to 12 ft. | ٠. | ٠. | • | 3 00 | | |
| " | 2 to $2\frac{1}{2}$ inch, | | | | 5 00 | | |
| 66 66 | $2\frac{1}{2}$ to 3 inch, | | | | 6 00 | | |
| 11 11 11 11 | 3 to 4 inch, | | | | 7 50 | | |
| | 4 to 5 inch, | • | • | | 10 00 | | |
| "Colchicum Rubrum | | | • | • | $\begin{array}{ccc} 7 & 50 \\ 9 & 00 \end{array}$ | | |
| 44 . 44 | $2\frac{1}{2}$ to 3 inches 4 to 5 inch, | 7.B | • | | 15 00 | | |
| " Silver, | 8 to 10 feet, | 1 to 1 t | inch. | • | 1 50 | 12 00 | |
| " | 10 to 12 feet, | | | | 2 00 | 18 00 | |
| | 12 to 14 feet, | | | | 3 00 | $22 \ 00$ | |
| " " | 2 to $2\frac{1}{2}$ inch, | | | | 3 50 | | |
| " | $2\frac{1}{2}$ to 3 inch, | | | | 5 00 | | |
| " | 3 to 4 inch, | | • | • | 7 50 | | |
| " | 4 to 5 inch, | | | | 10 00 | | |
| | 5 to 6 inch, | | • | • | 15 00 | 00.00 | |
| " Red, | 6 to 8 feet, | • | • | | $\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$ | $20 \ 00$ | |
| " | 8 to 10 feet, 10 to 12 feet, | • | • | • | 4 00 | | |
| 66 66 | 2 to 3 inch, | • | • | | 6 00 | | |
| | 3 to 4 inch, | • | • | • | 10 00 | | |
| " Schwedleri, | 6 to 8 ft | • | · · | | 4 00 | | |
| " | 8 to 10 ft. | | | | 5 00 | | |
| " | 10 to 12 ft. | | | | 7 00 | | |
| 46 46 | 2 to 3 inch, | | | | 10 00 | | |
| " Wiewe Out Leaved | 3 to 4 inch, | | | | 15 00 | 40.00 | |
| " Wier's Cut Leaved | | | • | | 2 00 | 18 00 | |
| | 8 to 10 ft, | • | | | 2 50 | 20 00 | |
| | 10 to I2 feet, | • | • | • | 3 00 4 00 | | |
| | 2 to 3 inch, 3 to 4 inch, | • | • | | 10 00 | | |
| | 4 to 5 inch, | • | • | • | 12 50 | | |
| Magnolia, (Acuminata) | 4 to 6 feet, | | | | 2 00 | | |
| " | 6 to 8 feet, | | | | 2 50 | | |
| " Tripetela, | 6 to 8 feet, | | | | 2 00 | 18 00 | |
| | 3 to 4 inch, | | | | 6 00 | | |
| " " Clarge | 4 to 5 inch, | | • | | 7 50 | | |
| Glauca, | 2 to 3 feet, | • | | | 2 50 | 1 | |
| Mountain Ash, | 6 to 8 feet, | • | • | | $\frac{2}{2} \frac{00}{50}$ | | |
| OAK, (Mossy Cup) 4 to 6 f | 8 to 10 feet, | • | • | • | 2 00 | | |
| " 6 to 8 fe | eet. | • | . • | | $\frac{2}{2} \frac{50}{50}$ | $22 \ 00$ | |
| " " 8 to 10 | | | • | • | 3 50 | 30 00 | |
| " " 10 to 15 | | | | | 5 00 | 40 00 | |
| " " 2 to $2\frac{1}{2}$ | inch, . | | | | 6 00 | | |
| " " 3 to 4 i | nch, . | ٠. | | | 7 :0 | | |
| " " 4 to 5 i | nch, . | | | • | $12 \ 50$ | | |
| OAK, Pin, 4 to 6 feet, | | | • | • | 3 00 | 25 00 | |
| o to o feet, . | | • | • | | 3 50 | 30 00 | |
| " 8 to 10 feet, " 10 to 12 feet, | • • | • | • | • | $\begin{array}{ccc} 4 & 50 \\ 6 & 00 \end{array}$ | 40 00 50 00 | |
| " $2 \text{ to } 2\frac{1}{2} \text{ inch,}$ | | • | • | | 7 00 | 00 00 | |
| " $2\frac{1}{2}$ to 3 inch, | | • | • | • | 8 00 | | |
| " 3 to 4 inch, | | | | | 10 00 | | |
| " 4 to 5 inch, | | | | | 15 00 | | |
| , | | | | | | | |

| | | | | | | | | | | | | Per 10. | Per 100. | Per 1000. |
|-------|----------|--------|-------------------|-----------------|------------|-------|--------|---|---|---|---|---|-------------------------------|-----------|
| 0.17 | English, | R to | 2 foot | | | | | | | | | \$ 3 00 | \$25 00 | \$ |
| UAK, | English, | | 10 feet | • | | • | • | | • | | • | 3 50 | 30 00 | Ψ |
| " | 66 | | 12 fee | | | • | • | • | | • | | 4 00 | 35 00 | |
| 66 | 4.4 | | 2½ inch | | | • | • | | • | | • | 5 00 | 45 00 | |
| " | 66 | | 3 inch | | | • | | • | | • | | 7 50 | 60 00 | |
| " | 4.6 | | inch, | | | • | • | | • | | • | 10 00 | 00 00 | |
| " | Red. | | feet, | | • | | | | • | | • | 2 50 | 22 00 | |
| 66 | "" | | feet, | • | | • | | • | | • | | 3 00 | 28 00 | |
| " | " | | feet, | • | • | | • | | • | | • | 3 50 | 30 00 | |
| " | " | | lo feet, | • | | • | | • | | • | | 5 00 | 45 00 | |
| 66 | " | | 12 fee | | | • | • | | • | | • | 6 00 | 50 00 | |
| " | 6.6 | | 2½ inch | | | • | | • | | • | | 7 50 | <i>50</i> 0 0 | |
| 66 | Scarlet. | | | , | • | | • | | • | | • | 4 50 | 40 00 | |
| 66" | Scariet, | | S feet, | • | | • | | • | | • | | 5 50 | 50 00 | |
| 66 | " | | 10 feet. | • | | • | | • | | • | | 6 00 | 00 00 | |
| " | | | 12 fee | | • | | • | | • | | • | 7 50 | | |
| " | " | | 3 inch, | | | • | | • | | • | | 9 00 | | |
| " | 4.6 | | inch, | • | | • | • | | • | | • | 12 50 | | |
| " | 66 | | inch, | • | | • | | • | | • | | 20 00 | | |
| Don: | R, CAROI | | 9 to 1 | | . 1 | +0.1 | 1 in | | • | | • | 1 50 | 12 00 | 100 00 |
| TOPLA | R, CAROI | INA, | 10 to | 0 1661 19 ft | , 11 | t 0 1 | 11 in | | • | | • | 1 50 | 15 00 | 100 00 |
| 66 | " | | 14 to | 12 10. 18 ft | , 14 11 | to | 2 in | | | • | | 3 00 | $\frac{15}{25} \frac{00}{00}$ | |
| " | | | 2 to 3 | | , 17 | w | ۵ III. | • | | • | | 4 00 | 20 00 | |
| 66 | " | | 4 to 5 | | | | | | • | | • | 10 00 | | |
| " | 66 | | 5 to 6 | | | • | | • | | • | | 15 00 | | |
| " | Loven | DDW | 8 to 1 | | , . | • | • | | • | | • | $\frac{15}{1} \frac{50}{50}$ | 12 00 | |
| - " | Lomba | KDY, | 10 to | | • | • | | • | | • | | | 18 00 | |
| " | 66 | | | - | | | • | • | | • | | | | |
| " | _ | | 12 to 6 to 8 | | υ, | | • | | • | | • | $\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$ | 25 00 18 00 | |
| 44 | Bolle | ANA, | | | | | • | | • | | • | | 18 00 | |
| | • | | 8 to 1 | | | | | • | | • | | 2 50 | | |
| " | | | 10 to | | | • | • | | • | | • | 3 50 | | |
| " | 6 | | 2 to 2 | | | • | • | | • | | • | 6 00 | | |
| | | | $2\frac{1}{2}$ to | | ٠. | | F 61 | • | | • | | 7 50 1 25 | 10 00 | |
| FLUM, | PURPLE | LBAV | ы, (г | ssaru | | | | • | | • | | | | |
| G | | | | | 0 | to | 7 ft. | • | | • | | 1 50 | 12 00 | |
| | | to 6 | | • | | • | | • | | • | | 1 80 | 90.00 | |
| | 0 | to 8 f | | • | | • | | | • | | • | 2 25 | 20 00 | |
| | | to 10 | | • | | | • | • | | • | | 3 00 | 25 00 | |
| | 1 | 0 to 1 | | • | | • | • | | • | | • | 3 50 | | |
| | ~ | | inch, | • | | | | • | | • | | 5 00 | 10.00 | |
| OWEE | r Gum, 3 | | | • 1 | | • | • | | • | | • | 2 00 | 18 00 | |
| | - 1 | to 6 f | | • | | | | ٠ | | • | | 2 50 | $22 \ 00$ | |
| TULIP | | to 10 | | • | | • | • | | • | | • | 2 50 | | |
| " | 10 | to 12 | | • | | | | • | | • | | 3 00 | | |
| | _ | to 3 i | ncn, | 0.4 - 6 |) £1 | • | • | | • | | • | 5 00 | 10.00 | |
| WHIT | E FRINGE | , | | 2 to 3 | | | | • | | • | | 1 50 | 12 00 | , |
| " | " | | | 3 to 4 | | | . • | | • | | • | 2 00 | 15 00 | |
| | •• | | | 4 to 5 |) IT. | | | • | | • | | 2 50 | | |
| | | | | | | | | | | | | | | |

WEEPING TREES.

| | | | | Per 10. | Per 100. |
|--------------------------|--------------|--|--|-------------|----------|
| CUT LEAVED BIRCH, 4 to 6 | ft | | | \$4 00 | \$ |
| " " 7 to 8 | | | | 5 00 | " |
| TEA'S WEEPING MULBERRY. | , . | | | 6 00 | |
| Willow, (common), | 6 to 8 ft. | | | 1 50 | 12 00 |
| | 8 to 10 ft. | | | 2 00 | 15 00 |
| " | 10 to 12 ft. | | | 2 50 | 22 00 |
| WILLOW, KILMARNOCK, 2 y | ear, . | | | 3 00 | |

EVERGREEN TREES.

| | Per 10. | Per 100. | Per 1000. |
|---|---|-------------------------------|-----------|
| Arborvitæ, American, 12 to 18 in., twice transpl. | \$ 60 | \$5 00 | \$ |
| " 18 to 24 in., " " . | 70 | 6 00 | |
| " | 1 25 1 50 | 10 00 | 90 00 |
| " 4 to 5 ft | 1 50 1 75 | 12 00 15 00 | |
| " 5 to 6 ft | 3 00 | 25 00 | |
| "Pyramidal, 2 to $2\frac{1}{2}$ ft | 1 75 | | |
| " $2\frac{1}{2}$ to 3 ft | 2 00 | | |
| 3 to 4 1t. | 3 00 | | |
| " Сомраста, 12 to 18 in | $\frac{1}{2} \frac{1}{00}$ | 15 00 | |
| " 2 to 3 ft | 3 50 | 10 00 | |
| " 3 to 4 ft | 5 00 | | • |
| "GLOBOSA, 12 to 15 in | 2 00 | | |
| 2 to 5 lt | 3 50 | 15 00 | |
| " SIBERIAN, 18 to 24 inch, | $\frac{1}{2} \frac{60}{50}$ | $\frac{15}{20} \frac{00}{00}$ | |
| Boxwood, Tree, 12 to 18 inch, | 2 50 | 20 00 | |
| RETINISPORA PLUMOSA, 2 to 3 ft | 2 50 | | |
| " 3 to 4 ft | 3 50 | | |
| " AUREA, 18 to 24 in | 2 50 | | |
| 2 to 3 tc | 3 00 3 00 | | |
| "OBTUSA, $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ " SQUAROSA VEITCHII, $18 \text{ to } 24 \text{ inch,}$ ". | 2 00 | | |
| " 2 to 3 ft | 2 50 | | |
| " 3 to 4 ft | 4 00 | | |
| " 4 to 5 ft | 5 00 | 40.00 | |
| I ISIFERA AUREA, 10 to 24 men, | 2 00 | 18 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$ | | |
| FIR, BALSAM, 2 to $2\frac{1}{2}$ ft. | 1 80 | | |
| " $2\frac{1}{2}$ to 3 ft | 2 00 | | |
| " | 2 50 | | |
| 4 to 5 lt. | 3 00 4 00 | 4.5 | |
| " 5 to 6 feet, | 2 50 | ϵ_{j} | |
| " 3 to 4 ft | 3 50 | 19.5 | |
| "Nordman's, 18 to 24 inch, | 4 00 | 314 | . 4 |
| " $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ | 5 00 | | |
| $z_{\overline{2}}$ to 3 it | 6 00 | 25- | |
| " 3 to 4 ft | $\begin{array}{c} 8 \ 00 \\ 2 \ 00 \end{array}$ | | |
| " 3 to 4 ft | 3 00 | | |
| " Scotch, 2 to 3 ft | 1 80 | | |
| " 3 to 4 ft | 2 50 | 20 00 | |
| 5 to 6 it. | 4 00 | Υ, | |
| " WHITE, 2 to 3 ft | $\begin{array}{ccc} 2 & 00 \\ 2 & 25 \end{array}$ | \mathcal{X} | |
| SPRUCE, NORWAY, 18 to 24 in. | 1 50 | 12 00 | 100 00 |
| " 2 to 3 ft | 2 00 | 16 00 | 150 00 |
| " 3 to 4 ft | 3 00 | 25 00 | |
| " 4 to 5 it | 3 50 | 30 00 | |
| " | 5 00 7 50 | Ü | |
| "Douglass, 2 to 3 ft. | 3 00 | | |
| " 3 to 4 ft | 4 00 | | |
| " Hemlock, 18 to 24 in | 2 00 | 18 00 | |
| " $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ " $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ " | 2 50 | 20 00 | |
| 27 10 5 16. | $\frac{3}{4} \frac{00}{00}$ | | |
| " 3 to 4 ft | 2 50 | 20 00 | |
| | | | |

| SPRUCE, WHIT | E, 3 to 4 ft. 4 to 5 ft. 6 to 8 ft. | | | | • | | Per 10. \$3 00 4 00 7 50 | Per 100. | Per 1000. |
|--------------------------------|---|----------------------|--------------------|--------------------|--------|----------|-----------------------------------|------------------|--|
| | | HED | GE P | LANT | s. | | | | |
| | | | | | Per l | 10. | | Per 1000. | |
| PRIVET, (Califo | rnia,) 12 to 18 to | 18 inch, 24 inch, | 1 year, | | \$ | | \$ 2 00 2 50 | \$18 00 20 00 | |
| 66 66 | 2 to 3 | ft. | | | | 35 | 3 00 | 25 00 | |
| " IBO Pyrus Japonic. | | ft. | | | | 50 | 3 50 5 00 | 30 00 | |
| Pyrus Japonic. | 2 to 3 feet | , . | | | 1 | 60 00 | 5 00 8 00 | | |
| | | SH | RUBE | BERY | • | | | | |
| ALTHEAS, doub | le varieties, fi | ne Frenc | h kind | s 2 to | 3 ft | | | Per 10 \$ 80 | Per 10 \$ 6 0 |
| " | 6.6 | " " | " | 3 to | 4 ft. | • | . · . | 1 00 | 8 0 |
| Azalea Mollis | | | | 4 to | 5 ft. | ٠. | ٠. | 1 25 3 00 | 10 0 |
| AZALEA PONTIC | Α, . | | | | | | | 5 00 | 0.0 |
| Berberry, Pur | i' 3 to 4 ft. | | | | | ٠. | | 1 00 1 25 | $\begin{array}{c} 8 & 0 \\ 10 & 0 \end{array}$ |
| BERBERIS THUN | BERGII, 12 to | 18 inch. | | | | | | 70 | 6 (|
| | 18 to 2 to 2 | 24 inch, 21 ft. | | | | ٠ | | 1 20 | $\frac{80}{100}$ |
| | " 2½ to | 3 ft | | | | | | 1 50 | 12 0 |
| Calycanthus, | 2 to 3 ft | | • | • | | • | ٠ | 1 00 1 25 | |
| CLETHRA ALNIE | FOLIA, 2 to 3 | ft. | | | 4 | | | 1 00 | |
| JOGWOOD, C <i>orn</i> | ius Siberica, i Paniculat | 3 to 4 It. | ft. | | | • | • . | 1 00 1 00 | $\begin{array}{c} 8 \ 0 \\ 8 \ 0 \end{array}$ |
| 4 6 | | 4 to | 5 ft. | | | | | 1 25 | 10 0 |
| Colutea Arboi | RESCENS, $3 \text{ to } 5$ | 5 ft. "ft | | ٠. | : | | | 1 00 1 50 | |
| Deutzia Scabr | A, GRACILIS, | CRENATA | , Fort | UNII, | CAND | IDIS | SIMA, | 1 20 | 10 (|
| ZIAS, 3 to | Rochester, 4 4 ft | | | | | • | | 1 00 | 7 (|
| INUS LON | GIPES, 2 to 3: | ft | | | • | | | 1 00 1 20 | |
| Exorchorda G | RANDIFLORA, | 4 to 5 ft | | : | | | | 1 00 | |
| HYDI ANGEA P. | aniculata Gi | RANDIFLO | RA, $2\frac{1}{2}$ | to 3 ft o 4 ft. | | | , | 1 00 1 25 | 8 (|
| 6.6 | 6.6 | 6.6 | | to 5 ft. | | | • | 1 60 | 10 (15 (|
| " Tre | E FORM, . | | | | | | | 2 50 | 20 (|
| Halesia Tetra | PTERA, 3 to 4 4 to 5 | ft | | | | • | | 1 25 1 50 | 10 (|
| Honersuckle, | UPRIGHT, 4 t | o 5 ft | | | | | | 1 00 | |
| Forsy hia Vir Lilac, Common | IDISSIMA, 3 to | o 4 it | PERSTA? | v 2 to | 3 ft | ٠ | | 1 00 1 00 | 8 (|
| | | | 4.6 | 3 to | 4 ft. | | | 1 25 | 10 (|
| " MARIE I | LeGray, Emi , Souv. de la | SPATE S | INE, VA | RIEGA | TED, | VIL | | 1 50 | |
| Magnolia Pur | PUREA, 2 to 3 | | | | | • | | 1 25 | |
| Purple Mist, 3 | to 4 ft. to 6 ft. | | | | • | | | 1 25 1 50 | 10 (12 (|
| " " 6 | to 8 ft. | | | | | | | 2 00 | 12 (|
| " " 8 | to 12 ft. | to and Co | PON A P | rrro 0.4 | 0 2 44 | | | 2 50 80 | 7 (|
| 6.6 | 4.6 | 6 6 | 6.6 | 3 t | 0 4 ft | | ٠. | 1 00 | 8 |
| 6.6 | 4.6 | 6.6 | 6.6 | 4 t | 0 6 ft | | | 1 25 | 10 (|

| | Per 10 | Per 100. |
|---|----------------------|----------|
| QUINCE, JAPAN, 18 to 24 inch, '' 2 to 3 ft. | \$ 60 80 | \$ 5 00 |
| SPIREA, BILLARDI, CALLOSA, REEVSEII, VAN HOUTII, 3 to 4 ft | 1 00 | 7 00 |
| Spippa Rillappi Cattora Reguesti Van Houset Ato 6 ft | 1 25 | 9 00 |
| SPIREA, BILLARDI, REEVESII, CALLOSA ROSEA, VANHOUTII, 2 to 3 ft. | 80 | 6 00 |
| SPIREA, CALLOSA ALBA, BUMALDA and ANTHONY WATERER, 2 to 3 ft. | 1 00 | 8 00 |
| TAMARIY AFRICAN 3 to 4 ft | 1 00 | 8 00 |
| Tamarix, African, 3 to 4 ft. '' 4 to 6 ft. | 1 25 | 0 00 |
| " " " " " " " " " " " " " " " " " " " | 1 50 | |
| "I TABLET A to 5 ft | 1 50 | |
| SNOWBALL, (Common) 2 to 3 ft. | 1 00 | 8 00 |
| " 3 to 4 ft | 1 25 | 10 00 |
| " TARAN 2 to 3 ft | 1 50 | 12 00 |
| WEIGHTA ROSEA AMARATIS and VARIEGATA 3 to 4 ft | 1 00 | 12 00 |
| " VAN HOUTTI and AMARALIS 2 to 3 ft | 80 | 6 00 |
| SNOWBALL, (Common) 2 to 3 ft. " 3 to 4 ft. " JAPAN, 2 to 3 ft. " JAPAN, 2 to 3 ft. " WEIGELIA ROSEA, AMABALIS and VARIEGATA, 3 to 4 ft. " VAN HOUTH and AMABALIS, 2 to 3 ft. " DWARF, variegated leaved, 2 to 3 ft. " EVA RATHKE, 2 to 3 ft. | 1 00 | 0 00 |
| "Eva Rather 2 to 3 ft | 1 25 | |
| " " 3 to 4 ft | | |
| "AREL CARRIEDE 4 to 5 ft | 1 50 | |
| "EVA RATHRE, 2 to 3 ft. " 3 to 4 ft. " ABEL CARRIERE, 4 to 5 ft. " 5 to 7 ft. | 1 50 1 50 2 00 | |
| | 2 00 | |
| HARDY CLIMBING SHRUB. | | |
| Ampelopsis Veitchii, Akebia Quinata, Bignonia Radicans, Grandiflora, Clematis, Jackmanni and other large flowering kinds, | 1 00 | |
| AKEBIA QUINATA, | 1 25 | |
| BIGNONIA RADICANS, | 1 25 | 10 00 |
| "GRANDIFLORA, | 1 25 2 00 | 18 00 |
| CLEMATIS, JACKMANNI and other large flowering kinds, | 2 50 1 00 | |
| " PANICULATA, | 1 00 | 8 00 |
| Honeysuckles—Halliana, Japan, Evergreen, etc. | 1 00 | |
| CLEMATIS, JACKMANNI AND OTHER HAYBE HOWEVING KINDS, "" HONEYSUCKLES—HALLIANA, JAPAN, EVERGREEN, etc. WISTARIA, CHINESE, | 1 25 | |
| " WHITE, | 1 50 | |
| Wistaria, Chinese, | 1 00 | |
| ROSES—Hybrid Perpetual, Bourbon, Noisette, Tea and Moss, Crimson Rambler, Am. Beauty, Marechal Neil, La | 1 50 | |
| France, | 1 80 | |
| France, | 1 25 | |
| Baby Rambler, | 3 00 | |
| MISCELLANEOUS. | | |
| | Per 10. | |
| Cannas, | 1 00 | |
| Dahlias, | 1 00 | |
| GLADIOLUS, assorted, | 50 | |
| Tuberoses, | 25 | |
| EULALIA ĠRACILLIMA, | 80 | |
| "JAPONICA, variegated, | 8,0 | |
| Cannas, Dahlias, Gladiolus, assorted, Tuberoses, Eulalia Gracillima, '' Japonica, variegated, '' Zebrina, Eduarente Bangara, | 80 | |
| ERIANTHUE RAVENNAE, | 80 | |
| Phalaris Arcundacia, | 80 | |
| Pampas Grass, | 80 | |
| , | | |